

| | Hits | Search Text | DBs |
|---|------|---|--|
| 1 | 5423 | request\$1 and network\$3 and (client\$server or server\$client) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B |
| 2 | 2518 | 11 and (mrf or (media adj redirection adj file\$1)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B |
| 3 | 201 | 12 and intercept\$3 and cache\$2 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B |
| 4 | 20 | 13 and rewrite\$3 and (code\$1 or instruction\$1) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B |

| | Hits | Search Text | DBs |
|---|------|---|--|
| 1 | 5423 | request\$1 and network\$3 and (client\$server or server\$client) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TDB |
| 2 | 2518 | 11 and (mrf or (media adj redirection adj file\$1)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TDB |
| 3 | 201 | 12 and intercept\$3 and cache\$2 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TDB |
| 4 | 20 | 13 and rewrite\$3 and (code\$1 or instruction\$1) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TDB |
| 5 | 116 | (redirection and request\$1).ti,ab. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TDB |

| | Hits | Search Text | DBs |
|---|------|-------------|--|
| 6 | 3 | 12 and 15 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B |